

## NAME INDEX

---

- Amadon, D., 11 (n. 87)  
Anderson, E., 1, 6, 26, 113, 125  
Arber, A., 106, 136  
Axelrod, D. I., 122  
Babcock, E. B., xx, 1, 6, 26, 30–31, 58, 88, 104, 116, 117, 122, 125, (abstract) xxxv, (author) 27–29, 70–74, 107  
Balder, C. M., 119  
Baur, E., 43  
Beal, J. M., 113  
Berry, E. W., 90, 135  
Bogert, C. M., 131  
Bower, F. O., 136  
Bridges, C., 79, 128  
Bucher, W. H., xi, xv, xvii–xix, xxvii, 7, 9, 11, 87, 119–121, 122, 125  
Burrows, W., 113  
Camp, W. H., 23, 131  
Caster, K. E., 7, 8, 122, 125, (addressee) 46, (author) 47–48  
Cattell, J., xxviii  
Chandler, E. J., 105  
Chaney, R. W., xxxiii, xxx (n. 53), 1, 3, 6, 27, 29–30, 53–55, 103–104, 118, 122, 125, (abstract) 1–2, (addressee) 20–21, 24–26, (author) 21–24  
Clark, B. L., xxxvi (n. 76), 6, 125  
Clausen, J., xxxvi (n. 75), 31, 44, 122  
Colbert, E. H., 7, 8, 63, 66, 67 (n. 105), 88, 96 (n. 118), 100 (n. 119), 102, 116, 119, 122, 125, (abstract) 11, 14, (addressee) 34, 67–70, (author) 35–39, 95–96  
Cole, L. J., 113  
Colin, E. C., 127  
Cooper, G. A., 122, 125  
Cooper, K. W., xxix, xxx (n. 52), 7, 9, 10, 114 (n. 129), 116, 122, 125  
Cuénot, L., 103  
Dahlberg, G., 128  
Darlington, C. D., 94  
Darwin, C., 131  
Davenport, C. D., 103  
De Vries, H., 42  
Demerec, M., 7–8, 79, 80, 82, 122, 125, (abstract) 14–15  
Dice, L. R., 113  
Dobzhansky, T., xii, xiii, xix–xx, xxii (n. 20), xxiii, xxiv, xxvi, xxix, xxx, xxxv, 7 (n. 79), 10 (n. 85), 11, 43, 65, 67, 74, 92–93, 99, 107, 113, 115, 116, 118, 119–121, 122, 125, 128, 132, (addressee) 21–24, 27–29, 29–34, 53–58, 58, 63, 75–76, 103–107, (author) 20–21, 24–26, 76–78, 84–86, concerns over organization of Princeton conference, xxx, reading list, 10, 114, 127, research in Brasil, xx (n. 17)

Dodds, H., xxxi  
Dubinin, N. P., xxx, 43, 75, 76–77  
Dunbar, C. O., 7, 7 (n. 81), 9, 125, 130  
Dunn, E. R., 118, 131  
Dunn, L. C., xxxvi (n. 72), 119, 122, 128  
Durrah, W. C., 129  
Elias, M. K., 1, 10 (n. 85), 27, 31, 88, 122, 125, 135–136, (abstract) 5–6, (addressee) 107, (author) 103–107  
Emerson, A. E., xi, xxiv, xxvi, xxxv, 113, 117  
Epling, C., 1, 5, 20, 26, 27, 122, 125, (addressee) 91–95, (author) 53–58, 58–63, conclusions on age of chromosome inversions in *Drosophila* challenged by Mayr, 88, 88–91, 91–95, 96, 97–100, 100–103  
Fisher, R. A., xi  
Florin, R., 71  
Gilly, C. L., 131  
Gloyd, H. K., 132  
Goldschmidt, R. B., xi, 63, 128  
Gordon, M., 7, 126  
Gregory, W. K., xvi  
Griggs, R., xviii (n. 11), 120  
Gulick, J. T., 94  
Haldane, J. B. S., xi, 104  
Harrison, R. G., 120  
Heer, O., 72  
Hiesey, W., 31  
Hirmer, M., 136  
Hopper, E. T., 88  
Hubbell, T. H., 132  
Hubbs, C., xxxv, 7 (n. 82), 131  
Hutchinson, G. E., xxxiii  
Huxley, J., xxvi, 8, 112–113, 131  
Ives, P. T., 77  
Jepsen, G. L., xiv, xvi, xvii–xix, xx, xxii, xxvii, xxvii (n. 36), xxix, xxx, xxxi (53), 7, 8, 11, 12–13, 115–116, 118, 119–121, 122, 126, (addressee) 47–48, 49–53, (author) 46, 48–49, as proxy for Simpson, xxii, xix  
Johnson, M. L., 119  
Just, T., xxviii (n. 43)  
Keck, D., 31  
Kinsey, A. C., 113  
Knopf, A., xxx (n. 53)  
Krogman, W. M., 113  
Ladd, H. S., xvii (n. 12)  
Lewis, H., 60  
Linnaeus, C., 50  
Lull, R. S., 129  
MacGinitie, H. D., 27, 55  
Mampell, K., 79  
Mason, H. L., 1, 5, 22, 27, 126, (abstract) 4–5, (addressee) 70–74  
Matthew, W. D., xvi, 66, 129  
Mayr, E., xii, xiii, xvi, xx, xxii, xxiii–xxiv, xxvi, xxvii, xxix, xxx (n. 53), xxxiv, xxxv, xxxix–xl, 7, 8, 9 (n. 84), 10 (n. 85), 11, 13 (n. 88), 19–20, 41, 41 (n. 96), 67, 69, 84, 87–88, 89

- (n. 116), 103 (n. 121), 113, 115, 116, 117, 118, 119, 122, 126, 131–132, (abstract) 12, (addressee) 35–39, 43–46, 48–49, 63–66, 88–91, 95–96, 97–100, (author) 34, 41–42, 49–53, 91–95, 100–103, administrator of Genetics Section, xxii (n. 20), challenged by Stebbins, 89–91, conclusions on age of chromosome inversions in *Drosophila* explained, 91–95, creating *Bulletins*, xxiii, *Drosophila* research, 89 (n. 116), proxy for Dobzhansky, xx–xxii, reading list, 10, 114, 131–132, rise in community, xxxv, role in Society for the Study of Evolution, 112–114, 118
- Mayr, Gretel (Margarete), xxxix
- McMinn, H. E., 31
- Metz, C. W., 84
- Miller, A. H., 27, 61, 132
- Moore, J. A., 132
- Morgan, T. H., xi, 42, 79, 128
- Muller, H. J., 7, 9, 9 (n. 83), 46, 79, 118, 119, 122, 126, 128
- Muntzing, A., 26
- Neel, J., 79
- Noe, A. C., 135
- Osborn, H. F., xvi
- Ownbey, M., 26
- Painter, T. S., 79
- Parr, A., 7
- Patterson, B., xix, 7, 8, 11 (n. 87), 122, 126, (abstract) 11–12, 15–16
- Patterson, J. T., xxx, xxx (n. 52), 83, 117
- Phleger, F. B., 7, 8, 122, 126, (abstract) 12, 13
- Pia, J., 136
- Pilger, R., 71, 74
- Rensch, B., 131, 132
- Richards, A. G., xxiv (n. 28)
- Roe, A., xxviii (n. 42)
- Romer, A. S., xxx (n. 53), 7, 8, 10, 114 (n. 129), 119, 122, 126, 129, (abstract) 16, 17
- Rubey, W. W., 116
- Sauer, [unknown], 27
- Schenk, A., 136
- Schmidt, K. P., 113, 118
- Schuchert, C., 130
- Scott, W. B., xvi, xxvii, 130
- Seward, A. C., 72, 135, 136
- Sharsmith, C. W., 27
- Shimer, H. W., 130
- Shimper, W. P., 136
- Simpson, G. G., xi, xiii, xvi–xx, xxiv–xxv, xxvi, xxvii, xxviii, xxix, xxx, xxx (n. 53), xxxi, xxxv, xxxix–xl, 9, 10 (n. 85), 11, 51, 87 (n. 115), 119, 120, 122, 126, 130, 131, 132, 133, (author of whole *Bulletin*) 109–114, 115–118, (author) 87–88, departure for military service (1942) xix (n. 14), reading list, 10, 114, 129, return from military service (1944) 87, 87 (n. 115)
- Sinclair, W. J., xxvii
- Sinnott, E. W., 106, 128
- Snyder, L. H., 128
- Spencer, W. P., 7, 8, 75, 77–78, 126, (abstract) 16–17, (paper) 78–84
- Stebbins, G. Ledyard, Jr., xx, xxx (n. 53), xxxi, 1, 1 (n. 78), 2, 6, 26, 27, 88, 100 (n. 119), 103 (n. 121), 104, 122, 126, (addressee) 76–78, 100–103, (author) 29–34, 67–70, 75–76,

- 88–91, 97–100, challenging Mayr's conclusions on age of chromosome inversions in *Drosophila*, 89
- Stern, C., xxii, xxiii, xxx (n. 53), 7, 8, 9, 9 (n. 84), 10, 114 (n. 129), 126, (abstract) 13–14, (addressee) 41–42, 84–86, (author) 43–46
- Stock, C., 126
- Stone, J. W., 79
- Sturtevant, A. H., xxx (n. 52, 53), 43, 79, 80, 82, 128
- Swinnerton, H. H., 130
- Timofeff-Ressovsky, H. A., 82–83
- Timofeff-Ressovsky, N. V., 78, 82
- Tiniakov, G. G., 79
- Tobgy, H., 28
- Troll, W., 136
- Turesson, G., 102
- Twenhofel, W. H., xviii (n. 12), 130
- Waagen, W. H., 47 (n. 99)
- Walters (Mrs.), 28
- Walton, J., 135
- Weidenreich, F., 51
- Welch, D' A. A., 132
- Wolf, C. B., 5
- Wood, H. E., 2nd, xvi, xix, xxiv, 119, 122, 126
- Wright, S., xi, xviii, xxx (n. 53), 1 (n. 77), 34, 37, 68–69, 93, 113, 118, 122, 126, (author) 63–66
- Zimmerman, E. C., 94
- Zittel, K. A., von, 130
- Zuitin, A. I., 78

## SPECIES INDEX

---

- Acer*, 32, *negundo*, 32  
*Aegilops*, 32  
*Agastache*, 57, *rugosa*, 57, *scrophulariaefolia*, 57, *urticifolia*, 57  
*Alismataceae*, 55  
*Alnus*, 32, *incana*, 32, *viridis*, 32  
*Anemone*, 55  
*Anthirrhinum*, 43  
*Audibertia*, 59  
*Baccharis*, 90  
*Baiera*, 72  
*Bromus*, 32  
*Calochortus*, 26  
*Calosphace*, 55  
*Caltha*, 55  
*Carpinus*, 23, *caroliniana*, 23, *grandis*, 23  
*Ceanothus*, 5, 31, 90, see also *Cerastes*  
*Cedrus*, 72–73  
*Celtis*, 106  
*Cerastes* (section of *Ceanothus*), 5, 32, *arboreus*, 32, *coeruleus*, 32  
*Chimaphila*, 90, *umbellata*, 94  
*Chlamydomonas*, 45  
*Clematis*, 55  
*Comarostaphylis*, 90  
*Corylus rostrata*, 32  
*Crepis*, 3, 27–29, 30, 31, 74, 104, 107, *capillaris*, 29, *cretica*, 28–29, *foetida*, 29, *fuliginosa*, 28–29, *gaditana*, 29, *nana*, 3, *neglecta*, 28–29  
*Cupressus*, 90  
*Cypripedium arietinum*, 90  
*Delphinium*, 60, *Hanseni*, 60, *hesperium*, 60  
*Drosophila* xx, xxx, 5, 8, 15, 16, 69, 74–75, 76–78, 78–84, 89 (n. 116), 90, 95–96, *affinis*, 80, *americana*, 44, *ananassae*, 80, *cardini*, 76, distribution pattern of gene arrangements, 88–90, 91–95, 96, 97–100, 101–103, *funnebris*, 16, 78, 79–80, 82–83, *hydei*, 16, 79–82, *immigrans*, 17, 79–80, 82, *melanogaster*, 16, 43, 44, 75–76, 76–78, 79–80, 82–83, *persimilis*, 79, 89, 91, 95, *polymorpha*, 76, *pseudoobscura*, 5, 43, 75–76, 76–78, 80, 88–90, 91, 93, 94–95, 97–100, 100–103, 109, 132, *pseudoobscura-persimilis* ancestor, 95, *repleta*, 83, *robusta*, 16, 79–80, *simulans*, 44, 80, *transversa*, 17, 82, *virilis*, 44, 80, 82, 83, *willistoni*, 80  
*Ectoconus*, 36  
*Eriope*, 57  
*Euphractus*, 8, 15  
*Fagus*, 20, 23, *grandifolia*, 20, 23, *pacifica*, 20, 23, *washoensis*, 23  
*Festuca*, 32  
*Galericularia*, 57  
*Gaultheria*, 90  
*Gigantopithecus blacki*, 51–52

*Hipparion*, 8, 11  
*Homo*, 51–53, *erectus erectus*, 51–52, *erectus mongoloideus*, 52, *erectus pekinensis*, 52–53, *erectus post-soloensis*, 52, *erectus robustus*, 51, *erectus soloensis*, 51–53, *erectus-soloensis*, 52, *palaeojavanicus*, 51–52, *sapiens australicus*, 51–52, *sapiens wadjakensis*, 51  
*Homo (Javanthropus) soloensis*, 51  
*Hordeum*, 32  
*Hydractinia*, 45–46, 86  
*Hyptis arborea*, 55  
*Hyptis*, 55  
*Hyracotherium*, 8, 12  
*Junco*, 61  
*Labiatae*, 55–56, 58  
*Lactuca*, 31  
*Lambertiana*, 74, *ayacahuite*, 74, *monticola*, 74  
*Launaea*, 31  
*Lepechinia*, 55, 57  
*Libocedrus*, 71  
*Mahonia*, 90, *fascicularis*, 94  
*Malacothrix*, 31  
*Mallophaga*, 86  
*Meganthropus palaeojavanicus*, 51  
*Microseris*, 31  
*Myosurus*, 55  
*Opuntia*, 55  
*Pachycereus*, 55  
*Papaver alpinum*, 44  
*Pecopteris vestita*, 6  
*Phoenocopsis*, 72  
*Pinus*, 4, 5, 70–74, *albicaulis*, 59, *albicaulis*, 74, *attenuata*, 4, *Ayacahuite*, 59, *contorta*, 32, 59, 62, *excelsa*, 59, *flexilis*, 59, 74, *Lambertiana*, 59, *masoni*, 22, *monticola*, 59, *muricata*, 4–5, 22, *nigra* var. *mauretanica*, 73, *Nordenskiöldi*, 72, *ponderosa*, 32, 59, 62, *pyrenaica* ssp. *mauretanica*, 73, *radiata*, 4, *remorata*, 4–5, *resinosa*, 73, *silvestris*, 73, *strobilus*, 59, 74  
*Pithecanthropus*, 51, *erectus*, 51, *robustus*, 51  
*Platypoecilus*, 7  
*Polygonum*, 90, *arifolium*, 90, *virginianum*, 90  
*Populus tremuloides*, 32  
*Potentilla glandulosa*, 44  
*Prenanthes*, 90  
*Prepinus*, 72, 74  
*Pyrus hoffmanni*, 22  
*Quercus dumosa*, 32  
*Rana pipiens*, 132  
*Ranalisma*, 55  
*Ranunculus*, 55  
*Rhus*, 90  
*Salvia*, 26, 55, 59, *apiana*, 61, 62–63, *carnosa*, 59, 61, *mellifera*, 61, 62–63  
*Scorzonera*, 31  
*Scutellaria*, 55  
*Sequoiadendron giganteum*, 32, 69

*Sequoia*, 20, 23, 32, *langsdorfii*, 20, 23, *sempervirens*, 20, 23, 32  
*Sinanthropus*, 53  
*Sophophora*, 80, 83  
*Sphenodon*, 38  
*Sphenophyllum* 6  
*Stachys*, 57  
*Stipa*, 31, 105  
Stipeae (tribe), 6, 105–106  
*Stratiotes*, 6, 105, *aloides*, 105  
*Symplocarpus foetidus*, 90  
*Teucrium*, 57  
*Tillandsia*, 55  
*Xiphophorus*, 7

## SUBJECT INDEX

---

aard-vark, 36  
accidents of sampling, as evolutionary factor, 63  
adaptation, 33, 54, 92, 97, 98, 111, 130, 133  
adaptive radiation, 36–37, see radiation  
adaptively useful mutation, 86  
algae, 136  
allopolyploidy, 25  
American Association for the Advancement of Science, meeting, St Louis (30 March 1946)  
    113, 117  
angiosperms, 104, 135, 136  
anti-evolutionists, 25, 53  
apogams, 26  
apomicts, 31  
artificial transmutation by X-rays, 75, 79, 82  
associations (plants) 25, evolution of grasslands, 25, 31  
autopolyploidy, 25  
balancing evolutionary factors, 63–66  
Betulaceae, 2  
Biological Symposia, xxviii  
biometry, 8  
biosystematics group in San Francisco, xiii (n. 1)  
bobcat, 68  
bobcats vs. mountain lion, environments compared, 68  
borages, 105  
Boraginaceae, 33  
brachiopods, 46, 48  
Brasil, Dobzhansky's visit, xx  
breeding potential (as a measure of species demarcation), 61  
bromeliads (Bromeliaceae), 54, 55 see orchids  
Brontornithidae, 15  
cacti (Cactaceae), 54–55  
camels, 66, (abundance), 37  
canids, evolution, 35, 36, variability, 70  
carnivores, 68, evolutionary rates, 34, 35–36  
causal relationships, environmental change and evolutionary rate, 34, 36–37  
*Cedrus* vs. *Pinus*, comparison, 72–73  
cenospecies, 63  
*Cerastes* (subgenus), 31  
ceratopsian dinosaurs, 14  
chance, role in evolution, 53  
chromosome patterns (*Drosophila*), 89–90, 91–95, 96, 97–100, 100–103  
chromosomes, transformation, 28–29  
Cichorieae, 31  
climate as a factor in evolution, 54  
cline, 93



coelenterates, 46  
Cold Spring Harbor, xxiv  
Columbia Biological Series, xiv  
Columbia University, Department of Zoology, 50th Anniversary, meeting (17 October 1942),  
xix, 119  
Committee on Marine Ecology as Related to Paleontology (National Research Council), xviii  
Committee on Common Problems, addition of systematics, 1944, xvi, as joint committee,  
xviii, 120, creating the *Bulletins*, xxiii–xxiv, Eastern Section (membership), xxxvi, 122,  
Eastern Section, abstracts from meeting, 1943, 7–11, Eastern Section, xv, xxi, xxxv,  
120, 122, 127, exchanging PhD students, 11, expanding distribution of *Bulletins*, 67,  
final activity, xxv, xxxi–xxxii, 111–113, 117, Genetics Section, xv, 121, letter  
exchanges planned and instructions, xxii–xxiv, 19, Mayr’s role, 87, meetings, 1943,  
planning, xx, membership, xxxvi, 122, 125–126, name change to include ‘systematics’,  
xvi, 19, Paleontology Section, xv, 121, progress and plans (November 1944) 87,  
progress and plans (February 1946) 109, publications, xxxvii, purpose, 19–20, 24, 87,  
109, 119–121, reading lists, 10, 10 (n. 85), 127–128, 129–130, 131–132, 135–136,  
recruiting, 119, regional meetings, 1943, *Report of Meetings*, 1943, xx–xxi, Simpson’s  
initial plan (abandoned) xviii–xix, steering committee, 19–20, 41, 67–88, temporary  
nature, terms for disbanding, 111, topics for attention, 123, trio of paleontologists as  
original organizers, xvi–xix, use of Columbia University 50th Anniversary to plan  
activity, xix, Western Section (membership) xxxvi, 122, Western Section, abstracts  
from meeting, 1943, 1–6, Western Section, xv, xxi, 120, 122  
Committee on Common Problems of Genetics, Paleontology and Systematics (name change,  
1944) xvi, 19  
Committee on Paleoecology (National Research Council) xviii (n. 112)  
Committee on the Application of Biological Data and Methods to Geological Problems,  
xxxii–xxxiii, 115 (n. 131)  
Committee on the Application of Physics and Chemistry to Geological Problems, xxxiii  
comparing fossil and living species (botanical) 20–21  
competition (relative importance in plant vs. animal evolution) 33  
Compositae, 31, 33  
conference, planning, 110–111, 115–117, 133  
conifers, historical and geographical distribution, 70–74  
conservatism, evolutionary, 26, 38, 61, 106  
continental floras vs. insular faunas, 91  
continuity, genetic, 53  
correspondence as exploratory mechanism, 87, 109  
counter selection, 93  
cryptogams, 136  
Cyperaceae, 33  
danse macabre, 26  
Department of Zoology, Columbia University, 50th Anniversary, meeting (17 October 1942)  
xix, 119  
dichobunids (related to leptochoerids) 38  
dicynodonts, 8, 16  
Dipsacaceae, 30  
discontinuity, 8, 12–14, 49, 93–94, 111, 123, 133, paleontological, 47, 49  
dispersal, 93–94, 98–100, 102–103, 123  
distribution, animals, 89, 95, plants, 54–58, 88, 88–91, 91–95, 98  
divergence, 89–90  
drift genetic, 44, 86

echinoderms, 46  
ecological balance (in fossil faunas), 37  
ecological niche, 85–86, 103, 105  
ecotype (in *Drosophila*), 102, ecotype (in *Potentilla*), 44  
editorial notes  
effective breeding population as evolutionary factor, 34, 63, 69  
elephants (abundance), 37, 66  
environment as an evolutionary factor, 68  
epiphytes, see orchids and bromelids  
epiphytic flora, distribution and origin, 30–31  
Equidae, 70  
Euphorbiaceae, 2  
*Evolution* (journal), launch, xxvi, potential sponsors, 112, proposal and plans, 111–113, 118, publish in Britain, 112  
evolutionary conservatism, 26, 38, 61, 106  
evolutionary opportunism, 75  
evolutionary stagnation, 68  
explosive evolutionary rates, 67  
extinction since other epochs in Tertiary (botanical), 21, 23, since Pleistocene (botanical) 21, 22–23  
Fagaceae, 2  
faunal migration, 123  
faunal succession, 130  
felid evolution, 35, 36, 68, 70  
ferns, 135  
fissipede evolution, 35  
Flacourtiaceae, 30  
floras of North America, Pleistocene, 20–21, 22, 88, 88–91, 91–95, Tertiary, 20–21, 24, 25, 27–29, 29–34, 53–58  
Florissant, 54  
foraminifera, 9  
fungi, 136  
Fusulinids, 9  
gaps in fossil record, 49  
gene arrangements (*Drosophila*) 89–90, 91–95, 96, 97–100, 100–103  
gene differences between individuals of same species, populations and species, 41–42, 43–46  
gene flow, 42, 45, 123  
gene gradients, 123  
gene mutations as evolutionary factor, 29  
genetic drift, 44, 86  
genetic isolation, 44–46  
genetic submergence in *Pinus remorata*, 5  
genetics, developmental, 127, 128, laws of, 127, population, 127, 128, reading list, 10, 127–128, textbooks, 127–128  
genic elimination by natural selection, 70  
geographic isolation, 84–86  
geographic race formation, 26, 84  
geographic range, 123  
geographic variation, 11–12, 111, 123, 133, in *Pinus*, 70–74  
Geological Society of America, meeting (December 1941), xviii, meeting (December 1944), 119

good neighbors program, US government, xx (n. 17)  
gradients, morphological or physiological, 29  
Gramineae, 33  
grasses, 136, evolution of prairie, 105–107, 136  
Guttiferae, 30  
gymnosperms, 135, 136  
hackberry, 106  
herbs, Tertiary, 105  
heterozygosity, 42, 68, 69–70, 75  
hiatus in animal phylogenies, 47  
historical geology, 130  
horizontal vs. vertical species, 50  
horses, 8, 66, 96, abundance, 37  
humans, early (Ventana Cave, Arizona), 96, genes differences, 43  
human fossils (reclassified), 50–53  
human subspecies, 51–52  
hybrid swarm, 61  
hybridization, 79  
hybrids (intergeneric) in tropical orchids, 31  
ichthyosaurs, 66, 69, abundance, 37  
immigration pressure, as evolutionary factor, 63  
inertia, 130  
insectivores (abundance), 37  
instantaneous evolution (almost) in felids, 35  
insular faunas vs. continental floras, 91  
interaction of evolutionary forces, 83  
intergeneric hybrids in tropical floras, 31  
intergradation, 29, 46, 59–60, across major taxa, 46  
International Congress of Genetics, Sixth, 1932, 65  
introgression, 26, 62  
inversions, 81  
isolating mechanisms, 42, 84–86, 89 (n. 116), 90, 94, 123  
isolation as evolutionary factor, 29, 83, 86  
isolation, geographic vs. secular, 86, origin of genetic, 44–46, secular, 86 -- search for more,  
    spatial (as an evolutionary factor), 29  
Java human fossils, 52  
Jesup lectures (Stebbins), xxxi  
joint field common to genetics, paleontology, and systematics, 87  
Journal of Animal Taxonomy (proposed), xxiv  
journal, for continuing Committee activity, see *Evolution*  
karyotype evolution (in *Crepis*), 28–29  
Lamarckian evolution, 131  
lapsus calami, 104  
Lauraceae, 2  
Leguminosae, 2  
leptochoerids (related to dichobunids), 38  
lethal vs. visible mutations, frequency in *Drosophila*, 75  
Linnaean taxonomy, 49  
*Lloydia* for Princeton conference, xxviii  
*Lloydia* symposium, 89 (n. 116), 109  
macroevolution, 47, 48, 50, 128

macrogenesis, 46, 50, as a hypothesis of despair, 47  
Madinae (tribe), 31  
maize, 15  
mammal-like reptiles, 36  
mathematical theory, 64–65  
Melastomaceae, 30  
Mendelian populations, evolution in (Wright), 64  
microevolution, 48, 128  
microgenesis, 46, 50  
migration in *Crepis*, 3, 27, versus extinction or transformation, 21, as an evolutionary factor, 29  
modernizer in paleontology, xvi  
mollusca, 46  
Moraceae, 2  
Morgan school of genetics, 42  
morphogenetic rules, 129  
morphologic gaps or breaks in evolutionary series, 46, 48  
mountain lion vs. bobcats, environments compared, 68  
multiple perspectives, xiii  
musk ox, 93, 96  
mutability, total in species, 34, 76  
mutation, adaptively useful, 86, comparable rates in *Drosophila* species, 8, 76–78, 78–84, discrepancies over meaning of term in genetics versus paleontology, 47, inconspicuous, 42, micro- vs. macro-, 42, 47–48, 48–49, neutral, 86, relative frequency of visible vs. lethal, 75, 79, role in evolution of *Crepis*, 29, systematic, 46, 128  
mutation finder, 77  
mutation rate as evolutionary factor, 16–17, 34, 63–66, 68, 69, 75, 76–78, 78–84, 86  
mutation theory (De Vries), 42  
mutator genes, 79  
National Research Council, Committee on marine ecology as related to paleontology, xviii, Committee on Paleocology, xviii (n. 112), Division of Biology and Agriculture, Division of Geology and Geography, Subcommittee on ecology of marine organisms, xviii (n. 12), willingness to sponsor journal, 112  
natural selection, 29, 33, 34, 44, 63, 68, 70, 74, 85, 86, 92, 97, 101–102, direction, 64  
Neanderthals, 52–53  
neontology, neontologist (compared with paleontologists), 8, 49, 52  
neutral mutations, 86  
New York Academy of Sciences, xxviii  
New York circle, xiv, xxxv  
niche, ecological, 85–86, 103, 105  
opportunism, evolutionary, 75  
orchids (Orchidaceae), 30–31, 54, 55  
orthogenesis, 5, 123  
orthoselection, 9  
oyster, 45  
paleobotany, reading list, 10, 118, 135–136  
paleoecology, xviii  
paleontological discontinuity, 47  
paleontology, laws of, 129, modernization, xvi, reading list, 10, 129–130, textbooks, 129  
parallel evolution, 8, 17, 53  
pelecypods, 48

perspective analysis, xiii  
Phanerogams, 104  
Phororhacidae, 15  
Phororhacoid birds, 8  
phyletic patterns, 130  
phylogenetic patterns in *Crepis*, 28  
*Pinus*, historical and geographical distribution, 70–74  
*Pinus* vs. *Cedrus*, comparison, 72–73  
placental carnivores, 14  
Pleistocene climate, 102  
Pleistocene floras of North America, 20–21, 22, 88  
ploidy, cause of new species, 26, 29, 31, 42, 58, frequency in animal groups, 42, frequency in plant groups, 32  
polyploidy, 42, 59, allo-, 25, auto-, 25  
polytypic species, different causes in animals and plants, 61–63, in *Agastache*, 57, in *Crepis*, 27–29, in modern tropical floras, 31, in *Pinus*, 59, in plant groups, 32, in recent woody genera, 31  
polytypic species concept, 26, 50–53, 58–63  
polytypic species or polytypic complexes, 58, 59, 60–63, see Rassenkreis  
polyvalence, xiii, xxx (n. 49), xxxv  
population size as an evolutionary factor, 68–69  
porpoises (abundance), 37  
prairie grasses, evolution of, 105–107, 136  
preadaptation, 25, 32, 33, 70, 75  
Princeton University bicentennial conference, xxvi–xxxii, as climatic moment, xxxiv, planning and program, 10, 115–117, program committee (listed), 116, questionnaire for conference planning, 133  
Princeton University symposium volume, xxxii, 117  
Psilopteridae, 15  
questionnaire for Princeton bicentennial conference planning, 133  
questionnaire, 116, 133  
race, biological concepts, 123, geographic, 59, human, 128  
race formation, geographic, 26, 84  
radiation, of archosaurian reptiles, 36, of placental mammals, 37  
random fixation, 68  
Ranunculaceae, 55  
rapid evolution, 32–33, 63, 66, 67–70, 76, 86, 106, 107, in ceratopsians, 35, in felids, 35  
Rassenkreis, 44, 132  
rates, mutation, 68, 123, rapid, 123  
rates of evolution, 1 (n. 77), 8, 14–17, 20–21, 32, 34, 35–39, 46, 47–48, 63–66, 67–70, 75, 88–91, 91–95, 106, 107, 110–11, 123, 130, 133, caused by internal factors, 38, 68, changes in the body of any one species, 36, changes within one phyletic group, 35, compared across groups, 32–33, compared using ‘Sewall Wright formulae’, 34, 35–39, inherent in phylogenetic lines, 38  
reading list, 10, 10 (n. 85), genetics, 127, paleobotany, 118, 135–136, paleontology, 129–130, plan, 114 (n. 129), 127, systematics, 131  
recombination as an evolutionary force, 68, 69–70  
relic species, 32, 73  
relics, 123  
reproductive isolation, 61, 84–85  
Rhynchocephalia, 38, 66

rodents, 88, abundance, 37  
Rubiaceae, 30  
Salicaceae, 2  
saltation, 42, 86  
sampling (effects of) as an evolutionary force, 68  
Sandia Cave, 96  
Sapotaceae, 30  
Say's ground squirrel, 96  
selection pressure, 34, 63, see natural selection  
selection, counter, 93  
selective value of gene arrangements (in *Drosophila*), 92–93, 97, 101–102  
sloths, 8, 16  
slow evolution, 68  
Society for the Study of Evolution, Boston meeting (December 1946) xxxi, call for charter members, 118, merger with Society for the Study of Speciation, 117–118, officer list for 1946–1947, xxx (n. 52), 117–118, organized, xxvi, 117–118, proposal, xxiv, 111–113  
Society for the Study of Speciation, xiii (n. .2), xxii (n. 20), xxiv, bulletins, 113, merger and disbanding, 113, 118, organization, 113  
Society of Vertebrate Paleontology, xvi (n. 7)  
speciation, 81, 84–85, examples, 88, allopatric, 26, 45, 59, sympatric, 45–46, 58–59, 84–86  
species, interconnecting, 74  
species as 'good' species, 25, 26  
species concepts, genetic basis, 123  
species formation by mutation, 42  
species in the making, 32  
species processes, comparing normal modes in zoology and botany, 26, 28, 31, 32  
species processes, zoological, 26  
species recognition (paleontological conventions for), 21–22, 24, 24–25  
squirrel, 96  
stagnation, 26, 32, 33, 35, 69, 123  
Stipeae  
Subcommittee on Ecology of Marine Organisms (National Research Council), xviii (n. 12)  
subspecies, 123, 131  
sympatric speciation, 8, 9, 45–46, 59, 84–86  
sympatric species, 49–53, 59  
symposium (*Lloydia*), 109  
symposium volume (from Princeton bicentennial conference), xxvii, 117  
synchronic species, 49–53  
synthesis, 131  
systematics, reading list, 10, 131  
systematics as "vital link", xvi  
Taeniodonta, 8, 15  
tapir, 93, 96, 98  
taxonomic nomenclature, 49–50  
Tertiary floras of North America, 1–2, 3–6, 20–21, 24, 25, 27–29, 29–34, 53–58  
Thallophyta, 136  
thecodonts, 36  
total mutability, 34  
trading zone, xxxv  
transformation of chromosomes, 28–29

transitional community or group, xvii, xxxiv  
trees, 135  
trends (evolutionary), 111, 123, 133  
Trinil Man, 52  
tropical floras in Cenozoic, changes to, 23–24, 29–30, 53–58  
uniformitarianism, 47  
Valerianaceae, 30  
Ventana Cave, 96  
vertical species, 49–53  
vertical vs. horizontal species, 50  
visible vs. lethal mutations, frequency in *Drosophila*, 75  
viverrid evolution, 35, 36  
viverrids (variability), 70  
Waagens or waagenation (unit of morphological change), 47, 48  
war conditions (effects on activity), 109–110  
Water-soldier, see *Stratiotes*  
weed species, 75, 77, also see pest species  
Williams Cave, 96  
Wright's formulae, 34, 37–39, 63, 68–69, also Sewall Wright formulae  
xerophytic flora and fauna (McKirrick, California), 98  
zoogeography, 103